



August 18, 2026

SUPPLEMENTAL BID BULLETIN No. 1

**Project: Supply and Delivery of Hardware Supplies and Materials
(APP 2026)**

This Supplemental Bid Bulletin No. 1 is issued to clarify items and shall form an integral part of Bidding Documents.

Please be informed of the modification in the bidding documents.

Section I. Invitation to Bid		
POSTED TO PHILGEPS	MODIFICATION	
Invitation to Bid No. Goods 2026-007	Invitation to Bid No. Goods 2026-009	

Section III. Bid Data Sheet		
POSTED TO PHILGEPS	MODIFICATION	
ITB Clause	ITB Clause	
5.3 For this purpose, contracts similar to the Project shall be the supply and delivery of similar goods comprising the Project.	5.3 <i>Pursuant to Section 52.4.1.3 of the IRR of RA 12009, where the Procuring Entity determines that adopting an alternative SLCC requirement is necessary to encourage broader bidder participation while still ensuring the bidders' technical capacity, it may allow the submission of a combination of completed contracts within the same period, provided that the aggregate value of such contracts is at least fifty percent (50%) of the ABC, subject to the following:</i> a) <i>The bidder must have completed at least one (1) similar contract with a value equivalent to at least twenty-five percent (25%) of the ABC; and</i> b) <i>The bidder must have completed other contracts, whether similar or dissimilar, with an aggregate value of at least twenty-five percent (25%) of the ABC.</i> <i>For purposes of determining compliance, the Procuring Entity may specify in the Bidding Documents the criteria or description of what shall be considered a similar contract. Such definition should be relevant and germane to the kind, class, or genus of the goods or services being procured and should be guided by the principles of proportionality and the fit-for-purpose approach.</i> <i>Note:</i> The required SLCC shall be determined based on the total ABC of the lot or combination of lots for which the bidder intends to participate. Accordingly, the applicable fifty percent (50%) SLCC requirement may vary depending on the total ABC of the lot or combination of lots being bid. Bidders are likewise advised to take note of and submit the required supporting documents for the SLCC, as specified in the Bidding Forms.	

Section VII. Technical Specifications		
POSTED TO PHILGEPS	MODIFICATION	
Lot No. 1	Lot No. 1	



Republic of the Philippines
TARLAC STATE UNIVERSITY
BIDS AND AWARDS COMMITTEE
Romulo Blvd., San Vicente, Tarlac City 2300



Item No.	Item Description	Qty.	Unit	Item No.	Item Description	Qty.	Unit
Item # 8	Circuit breaker 30amp (BOT)	10	set	Item # 8	Circuit breaker 30amp, 2Pole (BOT)	10	set
Item # 9	Circuit breaker 30amp (PIT)	90	set	Item # 9	Circuit breaker 30amp, 2Pole (PIT)	90	set
Item # 11	Circuit breaker 40amp (BOT)	10	set	Item # 11	Circuit breaker 40amp, 2Pole (BOT)	10	set
Item # 12	Circuit breaker 60amp (BOT)	16	set	Item # 12	Circuit breaker 60amp, 2Pole (BOT)	16	set
Item # 13	Circuit breaker 60amp (PIT)	15	pc	Item # 13	Circuit breaker 60amp, 2Pole (PIT)	15	set
Item # 15	Circuit Breaker NEMA 3 Enclosure 30amp Weather proof	12	set	Item # 15	Circuit Breaker in NEMA 3 Enclosure 30amp, 2Pole Weather proof	12	set
Item # 16	Circuit Breaker NEMA 3 Enclosure 40amp Weather proof	11	set	Item # 16	Circuit Breaker in NEMA 3 Enclosure 40amp, 2Pole Weather proof	11	set
Item # 17	Circuit Breaker NEMA 3 Enclosure 50amp Weather proof	5	set	Item # 17	Circuit Breaker in NEMA 3 Enclosure 50amp, 2Pole Weather proof	5	set
Item # 18	Circuit breaker, MCB Sassin 20A BOT (replacement for ab, sas & hotel bldg.)	40	set	Item # 18	Circuit breaker, MCB Sassin 20A, 2Pole, (BOT) (replacement for ab, sas & hotel bldg.)	40	set
Item # 19	Circuit breaker, MCB Sassin 32Amp BOT (replacement for ab bldg.)	40	set	Item # 19	Circuit breaker, MCB Sassin 32Amp, 2Pole, (BOT) (replacement for ab bldg.)	40	set
Item # 28	Circuit breaker Schneider 60A (BOT) (replacement for sol, sas & cit bldg.)	5	set	Item # 28	Circuit breaker Schneider 60A, 2Pole (BOT) (replacement for sol, sas & cit bldg.)	5	set
Item # 29	Circuit Breaker, MCCB Schneider 100Amp single phase (BOT) (replacement for cass, motorpool, ccs, red & hotel bldg.)	5	set	Item # 29	Circuit breaker, MCCB Schneider Easypact EZC250H - TMD - 100 A - 3 poles 3d	5	set
Item # 30	Circuit Breaker, MCCB Schneider 100Amp single phase (PIT) (replacement	5	set	Item # 30	Circuit breaker, MCCB Schneider Easypact	5	set



Republic of the Philippines
TARLAC STATE UNIVERSITY
BIDS AND AWARDS COMMITTEE
Romulo Blvd., San Vicente, Tarlac City 2300



	for cass, ccs, red & hotel bldg.)					EZC250H - TMD - 160 A - 3 poles 3d		
Item # 31	Circuit breaker, MCCB Schneider 3phase 200Amp (BOT) (replacement for cfr, ab, sas & motorpool bldg.)	5	set	Item # 31		Circuit breaker, MCCB Schneider Easypact EZC250H - TMD - 200 A - 3 poles 3d	5	set
Item # 32	Circuit breaker, MCCB Schneider 3phase 250Amp (BOT) (replacement for cit, cafa, sas, & cass bldg.)	5	set	Item # 32		Circuit breaker, MCCB Schneider Easypact EZC250H - TMD - 250 A - 3 poles 3d	5	set
Item # 33	Circuit breaker Square- D 100A (BOT)	5	set	Item # 33		Circuit breaker Square- D 100A, 3 pole (BOT)	5	set
Item # 34	Circuit breaker Square- D 125A (BOT)	10	set	Item # 34		Circuit breaker Square- D 125A, 3 pole (BOT)	10	set
Item # 35	Circuit breaker Square- D 150A (BOT)	5	set	Item # 35		Circuit breaker Square- D 150A, 3 pole (BOT)	5	set
Item # 36	Circuit breaker Square- D 175A (BOT)	5	set	Item # 36		Circuit breaker Square- D 175A, 3 pole (BOT)	5	set
Item # 37	Circuit breaker Square- D 225A (BOT)	5	set	Item # 37		Circuit breaker Square- D 225A, 3 pole (BOT)	5	set
Item # 38	Circuit breaker Square- D 30A (BOT)	30	set	Item # 38		Circuit breaker Square- D 30A, 2pole (BOT)	30	set
Item # 39	Circuit breaker Square- D 40A (BOT)	5	set	Item # 39		Circuit breaker Square- D 40A, 2pole (BOT)	5	set
Item # 40	Circuit breaker Square- D 60A (BOT)	5	set	Item # 40		Circuit breaker Square- D 60A, 2pole (BOT)	5	set
Item # 41	Circuit breaker w/ universal socket 30A	200	set	Item # 41		Circuit breaker w/ universal socket 30A, 2pole	200	set
Item # 55	LED, Fluorescent Lamp 10W T8 Daylight	150	set	Item # 55		LED, Fluorescent Lamp 10W T8 Daylight w/ housing	150	set
Item # 56	LED, Fluorescent Lamp 14W T8 Daylight	150	set	Item # 56		LED, Fluorescent Lamp 14W T8 Daylight w/ housing	150	set



Republic of the Philippines
TARLAC STATE UNIVERSITY
BIDS AND AWARDS COMMITTEE
Romulo Blvd., San Vicente, Tarlac City 2300



Item # 57	LED, Fluorescent Lamp 18W T8 Daylight	150	set	Item # 57	LED, Fluorescent Lamp 18W T8 Daylight w/ housing	150	set
Item # 58	LED, Fluorescent Lamp 28W T8 Daylight	150	set	Item # 58	LED, Fluorescent Lamp 28W T8 Daylight w/ housing	150	set
Item # 73	Royal Cord, 12/2 (2 Core x 5.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	6	roll	Item # 73	Royal Cord, 10/2 (2 Core x 5.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	6	roll
Item # 74	Royal Cord, 10/3 (3 Core x 3.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	4	roll	Item # 74	Royal Cord, 12/3 (3 Core x 3.5mm ²), Rated Voltage Temp. 300V/60°C (75meters/roll)	4	roll
Item # 81	Safety breaker 30A (BOT), with plastic housing	30	set	Item # 81	Safety breaker 30A, 2pole (BOT), with plastic housing	30	set
Lot No. 2							
Item # 123	Deformed Steel Bar 10mm Ø x 6m	80	pcs	Item # 123	Deformed Steel Bar 10mm Ø x 6m, grade 33	80	pcs
Item # 124	Deformed Steel Bar Plain 12mm Ø x 6m	50	pcs	Item # 124	Deformed Steel Bar Plain 12mm Ø x 6m, grade 33	50	pcs
Item # 188	Tape, Flashing 2" X 10 mtrs	100	roll	Item # 188	Tape Self Adhesive, For Roof and Leak Repair - Aluminum Coating Flashing Repair 2" X 10 mtrs	100	roll
Item # 199	Welded Wire 1/4thk. X 2" x 2"	20	pcs	Item # 199	Steel Matting 4ft x 8ft x 1/4" thk. (2"x2" hole)	20	pcs
Lot No. 3							
Item # 220	Epoxy Primer Gray with Catalyst (B-2200)	15	gal.	Item # 220	Epoxy Primer Gray with Catalyst (B-2230)	15	gal.
Lot No. 4							
Item # 260	Capacitor for Motor Pump 1HP	10	pc	Item # 260	Capacitor for Motor Pump 1HP, 40 uF	10	pc
Item # 261	Capacitor for Motor Pump 2HP	10	pc	Item # 261	Capacitor for Motor Pump 2HP, 50 uF	10	pc
Item # 318	PPR Male Adaptor 1/2" Male	200	pc	Item # 318	PPR Male Adaptor 1/2"	200	pc



Republic of the Philippines
TARLAC STATE UNIVERSITY
BIDS AND AWARDS COMMITTEE
Romulo Blvd., San Vicente, Tarlac City 2300



Item # 319	PPR Male Adaptor 1/2" Female	200	pc	Item # 319	PPR Female Adaptor 1/2"	200	pc
Item # 320	PPR Male Adaptor 1-1/4" Male	200	pc	Item # 320	PPR Male Adaptor 1-1/4"	200	pc
Item # 321	PPR Male Adaptor 1-1/4" Female	200	pc	Item # 321	PPR Female Adaptor 1-1/4"	200	pc
Item # 322	PPR Male Adaptor 3/4" Female	200	pc	Item # 322	PPR Male Adaptor 3/4"	200	pc
Item # 323	PPR Male Adaptor 3/4" Male	116	pc	Item # 323	PPR Female Adaptor 3/4"	116	pc

Lot No.5

Lot No. 5



Item # 361	ACU Thermostat	5	pcs	Item # 361	ACU Thermostat (for 2HP window type non-inverter)	5	pcs
Item # 362	Copper Tube 1/2" 50ft/roll	2	roll	Item # 362	Copper Tube 1/2"x 0.28mm thk. x 50ft/roll	2	roll
Item # 363	Copper Tube 1/4" 50ft/roll	2	roll	Item # 363	Copper Tube 1/4" x 0.28mm thk. x 50ft/roll	2	roll
Item # 364	Copper Tube 3/8" 50ft/roll	2	roll	Item # 364	Copper Tube 3/8" x 0.28mm thk. x 50ft/roll	2	roll
Item # 365	Copper Tube 5/8" 50ft/roll	2	roll	Item # 365	Copper Tube 5/8" x 0.28mm thk. x 50ft/roll	2	roll
Item # 366	Dual Capacitor 40+7 uF	10	pc	Item # 366	Dual Capacitor 40+7.5 uF	10	pc
Item # 367	Dual Capacitor 50+7 uF	10	pc	Item # 367	Dual Capacitor 50+7.5 uF	10	pc
Item # 368	Dual Capacitor 65+7 uF	10	pc	Item # 368	Dual Capacitor 65+7.5 uF	10	pc
Item # 372	Magnetic Contactor Furnas 30A	10	pc	Item # 372	Magnetic Contactor Furnas 30A, single phase	10	pc
Item # 381	Refrigerant R32, (13.6 kls/tank) FOR SPLIT TYPE acu inverter	10	tank	Item # 381	Refrigerant R32, (9.5kls/tank) FOR SPLIT TYPE acu inverter	10	tank
Item # 382	Refrigerant R410-A, (13.6 kls/tank) for Inverter type ACU	10	tank	Item # 382	Refrigerant R410-A, (9.5kls/tank) for Inverter type ACU	10	tank

Lot No.5

Lot No. 5



Item # 391	Digital Capacitance Meter	3	pc	Item # 391	Digital Multimeter Multi Tester Specification: VA color display screen Display: TRUR RMS 9999 counts DC/AC Current: 9.999mA/99.99mA/600mA/10A DC Voltage: 99.99mV/999.9mV/9.999V/99.9V/1000V AC Voltage: 99.99mV/999.9mV/9.999V/99.9V/750V Resistance:999.9Ω/9.999kΩ/99.99kΩ/9.999MΩ/99.99MΩ Capacitance:9.999nF/99.99nF/999nF/9.999μF/9.999mF/99.99mF Frequency:99.99Hz/999.9Hz/9.999kHz/99.99kHz/999.9kHz/9.999MHz Temperature: - 40.0°C~1000.0°C(- 40.0°F~1832.0°F) SMART Function (AC/DC voltage, resistance and continuity) NCV Automatic identification of current input Live test Diode test MAX/MIN/AVG Relative measurement Data hold Low battery indication Auto power off Flashlight With 6pcs x LR03 AAA batteries	3	set
Item # 395	VACUUM Pump 1.5hp, heavy Duty	1	pc	Item # 395	Vacuum Pump single stage 1.5hp, Heavy Duty Specification: Free Air Displacement 9CFM AND12CFM Ultimate Vacuum: 3x10 ⁻¹ Pa 0.003 mBar Voltage: 220v~50/60Hz	1	set



**TARLAC STATE UNIVERSITY
BIDS AND AWARDS COMMITTEE**

Romulo Blvd., San Vicente, Tarlac City 2300

For the guidance and information of all concerned.

DR. MARLON V. GAMIDO
BAC Chairperson